

M450 DRY/WET VACUUM

MACHINE PRINCIPLE

The main use for vacuums in surface preparation is to stop dust from entering the atmosphere by directly removing it from inside the preparation equipment. This requires special vacuums able to cope with the large volumes of very fine and sharp concrete Debris.

DESCRIPTION

The M450 Dry/Wet Vacuum is the most robust dust extractor on the market. Dual purpose, the M450 stops dust entering the atmosphere by removing debris from inside the preparation equipment, yet it is an equally effective wet vac for removal of liquids.

The filter is cleaned by an external shaker handle.

The M450 has a 60 litre dust bin and 3 motors with a total power of 3.5kW.

FEATURES

Robust steel construction

Powerful motor

Quick release debris bin

Swivel castors for manoeuvrability

APPLICATIONS

For use with a wide range of surface preparation equipment when preparing floors prior to the application of Resdev's fully comprehensive range of epoxy and Polyurethane Flooring systems.

The method of preparation is dependent upon both the substrate and the type of product used. For further information please refer to Resdev's product specific datasheets, specification information and material safety data.



M450 VACUUM UNIT MACHINE SPECIFICATION

Height	1350mm	Length	580mm
Width	600mm	Weight	65kg
Volume	60 litres	Power	110v*
Filter Surface	20000cm ²	Airflow	540m ³ /hr

* Also available in 240v



ACCESSORIES

Wheeled Floor Nozzle



Hose



Machine to Hose connector



Chrome Plated 's' Tube



Transformer x 2 - Dual socket 5kva 32 amp 110v



Extension cable 32amp 110v - 10m length

